

ARTHOUSE

1. PRODUCT IDENTIFICATION AND COMPANY DETAILS. Product

name: Chalky Matt Acrylic Paint

Intended use: Decoration of interior walls and ceilings

Brand owner and address:

Arthouse Ltd. St James Church, Bacup Road, Waterfoot, Rossendale, Lancashire. BB4 7JU

Manufacturer name and address:

Handford & Green Ltd. Hanford House, 12 Westlink, Belbins Business Park, Cupernham Lane, Ramsey, Hampshire, SO51 7JF

Emergency telephone no. 01794514949 (not 24 hour)

2. HAZARD IDENTIFICATION

a. Label elements

- No signal word
- Not classified

b. Precautionary statements

- P102 - Keep out of reach of children
- P101 - If medical advice is needed, have product container or label at hand.
- P262 - Do not get in eyes, on skin, or on clothing.
- P273 - Avoid release to the environment

c. Supplementary information:

- EUH 208 - Contains chloromethyl isothiazolinone/methyl isothiazolinone and benzisothiazolone. May produce an allergic reaction

3. COMPOSITION/ INFORMATION ON INGREDIENTS

Substance/mixture: Mixture

Substance meets the criteria for PBT according to Regulation [EC] No. 1907/2006, Annex XIII

Substance meets the criteria for vPvB according to Regulation [EC] No. 1907/2006, Annex XIII

4. FIRST AID MEASURES

General:

In case of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person.

ARTHOUSE

Inhalation:

Remove to fresh air, keep patient warm and at rest. If breathing is irregular or has stopped, administer artificial respiration. Give nothing by mouth. If unconscious place in recovery position and seek medical advice.

Eye Contact:

Remove contact lenses. Irrigate copiously with clean, fresh water for at least ten minutes, holding the eyes apart, and seek medical advice.

Skin Contact:

Remove contaminated clothing. Wash skin thoroughly with soap and water or use a proprietary skin cleanser. Do NOT use solvent or thinners.

Ingestion:

If accidentally swallowed obtain immediate medical attention. Keep at rest. Do not induce vomiting.

5. FIRE-FIGHTING MEASURES

Extinguishing media: Use an extinguishing agent suitable for the surrounding fire.

Unsuitable extinguishing media: None known.

Recommendations: Fire will produce dense black smoke containing hazardous products of combustion [see section 1 O]. Exposure to decomposition products may be a hazard to health. Appropriate self contained breathing apparatus may be required.

Cool closed containers exposed to fire with water spray. Do not allow water run-off from fire fighting to enter drains or water courses.

6. ACCIDENTAL RELEASE MEASURES

Ventilate the area. Exclude not essential personnel. Refer to protective measures listed in section 7 and 8. Contain the spillage with absorbent materials eg. Sand, earth, vermiculite, diatomaceous earth and place in a suitable container for disposal in accordance with the waste regulations [see section 13I. Do not allow to enter drains or watercourses. Clean, preferably with detergent: avoid use of solvents. If the product enters drains or sewers, immediately contact the local water company; in case of contamination of streams, rivers or lakes, the relevant environment agency.

7. HANDLING AND

STORAGE Handling

Keep the container tightly closed.

Avoid skin and eye contact. Avoid the inhalation of spray and mist. For Occupational Exposure Control measures, see section 8.

[The Manual Handling Operations Regulations may apply to the handling of containers of this product.]

ARTHOUSE

Storage

Observe label precautions. Store between 5deg and 25deg C in a dry, well ventilated place away from sources of heat and direct sunlight.

Prevent unauthorised access. Containers which are opened should be properly resealed and kept upright to prevent leakage.

Store separately from oxidising agents and strongly alkaline or acidic materials.

8. EXPOSURE CONTROLS /PERSONAL PROTECTION

Exposure controls

Provide adequate ventilation. Where reasonably practical, this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient suitable respiratory protection must be worn.

Exposure Limit Values

No exposure limit value known

Occupational Exposure Controls

All personal protective equipment, including respiratory protective equipment, used to control exposure to hazardous substances must be selected to meet the requirements of the COSHH Regulations.

Respiratory Protection

Suitable certified respiratory equipment should be worn when this product is sprayed if the exposure of the sprayer or other people nearby cannot be controlled below the occupational Exposure Limit Values and engineering controls and methods cannot reasonably be improved.

Hand Protection

When skin exposure may occur, advice should be sought from glove suppliers on appropriate types and usage times for this product. The instructions and information provided by the glove supplier on use, storage, maintenance and replacement, must be followed.

Barrier creams may help to protect exposed skin, but are not substitutes for full physical protection. They should not be applied once exposure has occurred.

Eye Protection

Eye protection designed to protect against liquid splashes should be worn.

Skin Protection

Cotton or cotton/synthetic overalls or coveralls are normally suitable. Grossly contaminated clothing should be removed and the skin washed with soap and water or a proprietary skin cleanser.

Regular skin inspection of users of this product is recommended.

Always wash your hands before eating, drinking, smoking or using the toilet.

Environmental exposure control

See section 12 for detailed information.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state: Viscous Liquid
Flash Point: non flammable
Specific Gravity: 1.2 - 1.5 Vapour
density: n/a
Lower explosion limit: n/a
Solubility in water: miscible

10. STABILITY AND REACTIVITY

Stable under normal storage and handling conditions [see section 7]. In a fire, hazardous decomposition products such as smoke, carbon monoxide, and oxides of nitrogen may be produced. Keep away from oxidising agent and strongly alkaline or acidic materials to prevent the possibility of exothermic reactions.

11. TOXICOLOGICAL INFORMATION

There are no data available on the mixture itself. The product is not classified as hazardous according to Regulation [EC] 1272/2008 as amended.

Repeated or prolonged contact with the mixture may cause removal of natural fat from the skin, resulting in nonallergic contact dermatitis and absorption through the skin.

If splashed in the eyes, the liquid may cause irritation and reversible damage.

This takes into account, where known, delayed and immediate effects and also chronic effects of components from short-term and long-term exposure by oral, inhalation and dermal routes of exposure and eye contact.

Contains reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one and benzisothiazolone [EC no. 220-239-6] [3:1]. May produce an allergic reaction.

12. ECOLOGICAL INFORMATION.

| | |
|----------------------|---------------|
| 12.1 Toxicity | Not available |
| Conclusion/summary: | |

| | |
|---|-----|
| 12.2 Persistence and degradability | Not |
| Conclusion/summary: | |

| | |
|------------------------------------|--------|
| 12.3 Bioaccumulative effect | availa |
| | ble |

| | |
|---|--------|
| 12.4 Mobility in soil | |
| Soil/water partition coefficient: Mobility: | Not |
| | availa |
| | ble |

Not
available

Not
available

12.5 Results of PBT and vPvB assessment

| | |
|-------|---------------|
| PBT: | Not available |
| vPvB: | Not available |

12.6 Other adverse effects

No known adverse effects or critical hazards

The product should not be allowed to enter drains or water courses or to be deposited where it can affect ground or surface waters.

13. DISPOSAL CONSIDERATIONS

Do not allow into drains or water courses or dispose of where ground or surface waters may be affected. Wastes, including empty containers, are controlled wastes and should be disposed of in accordance with regulations made under The Control of Pollution Act and The Environmental Protection Act.

When this coating, in its liquid state, as supplied or skinned, becomes a waste, it is categorised as hazardous waste, with code 08 01 15 [list of hazardous wastes]

Used metal containers, drained and/or rigorously scraped out and containing dried residues of the supplied coating, are categorised as non-hazardous waste, with code 15 01 04 [list of wastes]

If mixed with other wastes the above waste codes may not be applicable

14. TRANSPORT INFORMATION

Transport within the user's premises: Always transport in closed containers that are upright and secure. Ensure persons transporting the product know what to do in the event of an accident or spillage.

This product is not classified as dangerous for carriage.

15. REGULATORY INFORMATION.

Safety, health and environmental regulations/legislation specific for the substance or mixture EU Regulation [EC] No. 1907/2006 [REACH]

Annex XIV - List of substances subject to authorisation

None of the components is listed

Chemical Safety Assessment: No Chemical Safety Assessment has been carried out.

Substances of very high concern: None of the components are listed

VOC for Ready-for-Use Mixture: IIA/a. Interior matt for walls and ceilings. EU limit values: 30g/l [2010.] This product contains a maximum of 3 g/l VOC.

16. OTHER INFORMATION

Text of the H phrases listed in Section 2 n/a

The product should not be used for purposes other than those shown in Section 1 without first referring to the supplier and obtaining written handling instructions. As the specific conditions of use of the product are outside the supplier's control, the user is responsible for ensuring that the requirements of relevant legislation are complied with.

The information contained in this safety data sheet is based on the present state of knowledge and on current national legislation. It provides guidance on health, safety and environmental aspects of the product and should not be construed as any guarantee of technical performance or suitability for particular applications.

Further information and advice can be found in:

The Control of Substances Hazardous to Health Regulations 2002[SI2002:2677]. The Stationery Office

COSHH Essentials: easy steps to control chemicals [HSG 193]. HSE Books. Details of Control Guidance Sheets, which may be relevant to the particular conditions of use, can also be found in this publication.

The Manual Handling Operations Regulations 1992 [SI 1992:2793]. The Stationery Office The Environmental Protection [Duty of Care] Regulations 1992 [SI 1992:2839]. The Stationery Office

EU Legislation

Dangerous Substance Directive 67/548/EEC. Dangerous Preparation Directive 1272/2008/EC. Regulation [EC] No. 1907/2006 of the European Parliament and the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of chemicals [REACH] establishing a European Chemical Agency, amending directives 1999/45/EC and repealing Council Regulation [EEC] No. 793/93 and Commission Regulation [EC] No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directive 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC including amendments. Classification, labelling of packaging of mixtures 1272/2008EC.

Review/revision date: October 2020