


NEXT

TATE FLOOR LAMP
K92693
Assembly instructions

Actual product size

H160 x W57 x D45 cm




NEXT

TATE FLOOR LAMP
K92693
Assembly instructions

Actual product size

H160 x W57 x D45 cm



Need Help?

with: Assembly instructions
Missing or damaged parts

CALL: 0333 777 8999

IMPORTANT-RETAIN FOR FUTURE REFERENCE

BEFORE YOU START

Warnings

We suggest you retain these instructions for future reference. For your safety, this product must be installed in accordance with local building regulations. If in any doubt, or required by the law, consult a competent person who is registered with an electrician self-certification scheme. Further information is available online or from your local authority.

This light is suitable for indoor use only.

We suggest you retain these instructions for future reference.

Recommended Bulb: ES 6W LED MAX 10W

Do's

We suggest you spend a short time reading through this leaflet before you start.

When you are ready to start, make sure that you have the right tools and plenty of space.

Unwrap all packaging materials and place the components on top of the carton box or on a clean floor to protect it from damage.

We recommend that the packaging is used to protect the surfaces during assembly. Carefully check that you have all the parts before beginning assembly.

Ensure the product is fully assembled as illustrated and all fixings fully tightened before use. Check fixings regularly to ensure they remain tight.


Always switch off the supply before changing light bulbs or cleaning.

Allow bulbs to cool down before handling.

Don'ts

We recommend cleaning with a soft dry cloth, do not use abrasive materials as these will rub away the protective coating.

Time to assemble



15mins

Missing parts

If you are missing any fixtures and fittings for your product please contact our customer service team on 0333 777 8999 and they will be happy to help.

Cleaning Care

We recommend cleaning with a soft dry cloth. Do not use abrasive materials as these will rub away the protective coating.

Maintenance

To ensure your safety, if the cable becomes damaged it must be replaced by only a qualified person.

Safety information

For your safety, please remember the following:

- Always switch off the power supply before changing lightbulbs or cleaning
- Allow bulbs to cool down before handling.


You can write to us at

Home Customer Services
Next Retail Ltd.
Desford Road, Leicester, LE19 4AT

Next Retail (Ireland) Ltd.
13-18 City Quay, Dublin 2, D02 ED70

To view our full range please visit
www.next.co.uk


GETTING TO KNOW YOUR PRODUCT



GETTING TO KNOW YOUR PRODUCT

Ref	Description	Specification	Qty	Remark
1	Metal ring	D5 cm	1	
2	Metal Cover	D11 * H5 cm	1	
3	Lampholder	E27	1	
4	Shade	D45*H16.5 cm	1	
5	Screw	D2.5*H3.5 cm	1	
6	Metal Stem	D2.2*H52 cm	2	
7	Metal Rod	D2.1*H2.5 cm	1	
8	Screw	D2.2*H1.5 cm	1	
9	Hardware fitting	D6*T0.2 cm	1	
10	Metal Base	D30*H3 cm	1	
11	Floor bracket	L20*W2*T0.2 cm	1	Packed in fixing bag
12	Felt Pad	D30*T0.2 cm	1	
13	Cable	L385 cm	1	
14	Grub Screws	D4*H5 mm	3	Packed in fixing bag
15	Allen Key	D3*L6 cm	1	Packed in fixing bag
16	Elbow Stem	D1.4*L52.8*W31 cm	1	


1



Step 1

Attach the stem to the base.


2



Step 2

Attach metal stem and metal rod
(part 6 and part 7).


3



Step 3

Please gently pull the cable through
at the base.

4




Step 4

Attach the elbow stem to the middle stem and
tighten with the allen key.

NEXT

TATE FLOOR LAMP K92693 Assembly instructions

5



Bulb: Max 10W E27

Step 5


Remove the shade ring from the lamp holder, then fit the shade onto lamp holder and secure into position with the shade ring. Screw bulb into lampholder. (Bulb not included)

Should you wish for more stability of this lamp, the you could consider fixing this to the floor following the below guidelines.

PLEASE NOTE: ENSURE THAT THE AREA DRILLED MUST NOT BE IN CONTACT WITH ANY ELECTRICAL WIRING, WATER OR GAS PIPES. DRILLING WILL LEAVE A PERMANENT MARK ON THE FLOOR.

1) Attached the enclosed bracket to the bottom of the base in the pre threaded hole using the screw provided.

2) Taking care not to damage any wiring or piping under the floor, drill the floor to the height of the rawl plug. Screw the bracket to the floor using the screw supplied in the accessory pack. Ensure the floor lamp is secured in place.



NEXT

TATE FLOOR LAMP

Instructions for repackaging

Thank you for purchasing this Next lighting product. We hope you will be delighted with your purchase, but in the event that you wish to return the product, please follow the repackaging instructions below.

