

NEXT

MALVERN CLASSIC CREAM GLAZED CABINET

W58486
Assembly instructions

Actual product size

H180 x W130 x D39 cm



Need Help ?

With: Assembly instruction
Missing or damaged parts


IMPORTANT - RETAIN FOR FUTURE REFERENCE

CALL: 0333 777 8999

BEFORE YOU START

Number of people required to assemble

Two people are required to assemble this item

**Time to assemble : 30 minutes****Tools required****PH2 X2**

not supplied

Do's

We suggest you spend a short time reading through this leaflet before you start.

When you are ready to start, make sure that you have the right tools and plenty of space.

Unwrap all packaging materials and place the components on a clean surface to protect it from damage,

We recommend that the packaging is used to protect the surfaces during assembly.

Carefully check that you have all the parts before beginning assembly.

Due to the size of this product we recommend that it is assembled in the room intended for use.

Ensure the product is fully assembled as illustrated and all fixings fully tightened before use.

Wipe occasionally with a soft cloth slightly dampened with water. Then buff with a dry clean soft cloth.

Wood will mellow and change colour over time, we recommend that ornaments and items placed on the surface are moved regularly for the first few months to prevent uneven mellowing.

If the glass is chipped or broken, stop using the product and consult the supplier.

When cleaning glass panels use a damp cloth with washing up liquid or soft soap if necessary. Do not use washing powders or any other substances containing abrasives since these substances scratch glass panel.

The glass used in this product is toughened and complies with BS EN 12150-1:2000, clauses 8.3 & 8.4.

Don'ts

Do not drag or pull your furniture.

Do not rub or scrub the surface when cleaning.

Do not use silicone based furniture polish. Silicone in furniture polish can break down the finish.



Never allow any kind of liquid to remain on your furniture.

Absorption can cause wood to warp or finishes to de-laminate.

Do not place hot items (e.g. hot drinks) directly on to the wood surface. Please make sure you use a placemat or coaster.

Do not place very hot or very cold items on the glass surface, unless adequately thick table mats or coasters are used to prevent such items from coming into contact with the glass.

Do not use glass as a chopping surface. Do not strike the glass with hard or pointed items.

GETTING TO KNOW YOUR PRODUCT

NEXT

MALVERN CLASSIC CREAM GLAZED CABINET

W58486



Assembly instructions

Components supplied. Please use this guide if you require replacement parts.


Ref	Dimensions	Visual	Qty	Ctn
1	36x118cm		1	1
2	5.5x10.5cm		1	1
3	36x178cm		1	2
4	33.5x165.5cm		1	2
5	26x29.5cm		2	1
6	31.5x37.5cm		1	1
7	31.5x37.5cm		1	1
8	36x178cm		1	2
9	26x29.5cm		1	1
10	31.5x78.5cm		1	1
11	31.5x78.5cm		1	1
12	79.5x166.5cm		1	2
13	38x166.5cm		1	2
14	39x130cm		1	1

Ref	Dimensions	Visual	Qty	Ctn
15	19.5x25cm		2	1
16	19.5x29cm		1	1
17	19.5x25cm		2	1
18	23.5x29.5cm		1	1
19	25x34cm		1	1
20	19.5x67cm		1	1
21	6x23cm		1	1
22	23.5x68cm		1	1
23	25x72cm		1	1
24	31.5x78.5cm		2	3
25	31.5x37.5cm		2	3
26	39x161cm		1	3
27	39x161cm		2	3

NEXT FITTINGS ASSEMBLE INSTRUCTIONS



Push connector into housing to join.



Make sure there is no gap between the panels.

NEXT


MALVERN CLASSIC CREAM GLAZED CABINET

W58486

Assembly instructions

Fixtures and fittings supplied (actual size)

Ref	Dimensions	Qty	Spare Qty
Y8	Ø6 x 50mm	1	1
U143	Ø4 x 15mm	18	2
U139	Ø4.5 x 15mm	18	2
U136	Ø4 x 15mm	2	1
S41	Ø4 x 15mm	4	1
P8	Ø6 x 18mm	16	2
D6	Ø8 x 30mm	6	1
V68	Ø6 x 40mm	6	1



Fixtures and fittings supplied (not to scale)

Ref	Dimensions	Qty	Spare Qty	Visual
M39	N/A	1	N/A	
N1	N/A	2	N/A	
T1	N/A	2	N/A	
T38	N/A	16	2	

Fixtures and fittings supplied (not to scale)

Ref	Dimensions	Qty	Spare Qty	Visual
T52	N/A	1	N/A	
C11	N/A	9	N/A	
E28	N/A	6	N/A	
O2	N/A	1	1	


NEXT

MALVERN CLASSIC CREAM GLAZED CABINET


W58486

Assembly instructions


1




2



3



4



D6	Ø8 x 30mm	4	
V68	Ø6 x 40mm	4	
T1	N/A	2	


NEXT

MALVERN CLASSIC CREAM GLAZED CABINET



W58486
Assembly instructions

5

Unfinished side




ALIGNED





6


Unfinished side




ALIGNED



7






8




D6	Ø8 x 30mm	2	
V68	Ø6 x 40mm	2	
T1	N/A	2	

9




ALIGNED

10



ALIGNED




NEXT


MALVERN CLASSIC CREAM GLAZED CABINET

W58486
Assembly instructions

11




12




S41	Ø4 x 15mm	2		 not supplied
-----	-----------	---	--	------------------

13




U136	Ø4 x 15mm	2	not supplied
M39	N/A	1	

14



15


There are two options, please check the step 19



S41	Ø4 x 15mm	2	PH2 not supplied
N1	N/A	2	


16

Note: Item will be permanently assembled once panel (14) is fitted.



O2	N/A	1	
----	-----	---	--

17


**A=B**

NEXT

MALVERN CLASSIC CREAM GLAZED CABINET

W58486
Assembly instructions

18







T38	N/A	16	
T52	N/A	1	

19


We recommend the use of the wall attachment bracket/strap provided for safety reasons. Move unit into desired position. Secure the 2X "L" metal brackets to the wall with an appropriate screw and wall plug for your wall type (not provided).

Warning: Always ensure intended wall area to be drilled is free from hidden electrical wires, water and gas pipes.

NB: Wall fixings are not included - Please source suitable fixing for your wall type. If in doubt please consult a qualified trades person.




20




SLOTS ALIGNED

21




SLOTS ALIGNED

22




23

Note: Drawer will be permanently assembled once panel 19 is fitted.




24




E28	N/A	1		
-----	-----	---	--	--

25




26




SLOTS ALIGNED

27




28



29

Note: Drawer will be permanently
assembled once panel (23) is fitted.




NEXT

MALVERN CLASSIC CREAM GLAZED CABINET


W58486
Assembly instructions

30





E28	N/A	2			
				<small>not supplied</small>	



31



Left side



Right side




How to remove drawer

NEXT

MALVERN CLASSIC CREAM GLAZED CABINET

W58486
Assembly instructions



32



P8	Ø6 x 18mm	16	
----	-----------	----	---

NEXT**MALVERN CLASSIC CREAM GLAZED CABINET**
W58486
Assembly instructions

33

**X2**




C11	N/A	9	
E28	N/A	3	 PH2 not supplied
U139	Ø4.5 x 15mm	18	 PH2 not supplied

34




Install Hinge



Step.1:Lift up the hook

Step.2:Hook the hinge
to the base


Step.3:Press inside



Remove Hinge



Adjust Hinge Position





NEXT

MALVERN CLASSIC CREAM GLAZED CABINET

W58486
Assembly instructions

35





U143	Ø4 x 15mm	18		 not supplied
------	-----------	----	--	------------------

NEXT

MALVERN CLASSIC CREAM GLAZED CABINET W58486

Actual product size

H180 x W130 x D39 cm



Warnings

We suggest you retain these instructions for future reference.

Keep fittings out of children's reach and keep children well away from construction area.

Please periodically check all fittings and re-tighten as necessary.

Please do not sit or stand on your furniture.

Avoid exposing the furniture to excessive heat or direct sunlight as this can cause deterioration of the colour.

Unwrap all packaging materials and place the components on top of the carton box or on a clean floor to protect it from damage

Name and Address: NEXT RETAIL LTD. LE19 4AT

Identification and model Number: W58486 MALVERN CLASSIC CREAM GLAZED CABINET

Date of Manufacture:

Contract number: IL8560830

Nominal thickness of Glass: 4mm/6mm, Annealed glass

Country of Origin: China

If a glass component is chipped or broken replace with glass of the type described on this label. Consult with the retailer with regard to obtaining a manufacturing specification and shape for replacement glass quoting the model number, batch number and date of manufacture.

Missing parts

If you are missing any fixtures and fittings for your product.

Please contact our customer service team on 0333 777 8999 and they will be happy to arrange for a replacement to be sent to you free of charge.

Home service technicians

If you have a fault with your product, please contact our customer service team on 0333 777 8999. If you have had the product for 28 days or less you may be offered a replacement, refund or for a fully trained home service technician to visit your home to assess the fault and repair the product where possible. If you have had the product for more than 28 days we will send an independent home service technician to review and repair the product where possible and recommend further action.

You can write to us at

Home Customer Services
Next Retail Ltd.
Desford Road,
Leicester,
LE19 4AT

To view our full furniture range please visit www.next.co.uk

NEXT**MALVERN CLASSIC CREAM GLAZED CABINET**
W58486**Contents and specification:**

- X1 L.E.D type sideboard Which needs to be plugged in to function.
- This product contains LED strip which are non-replaceable.
- Integrated LED lamp/strip - bulbs not required.
- Average run time : 30,000 hours
- Wattage: 7.4W
- Light output : 100 lumens
- Colour temperature : 2 8 0 0 K - 3 0 0 0 K
- This product contains a light source of energy efficiency class F.
- In order to maintain the longevity of the product, please do not leave on for prolonged periods of time
- Wipe clean with a soft dry cloth. Never polish containing abrasives or solvents as they may damage the finish and electrical components.
- Light output:100 lumensColour temperature:2 800K-3 000 KIn order to maintain the longevity of the product, please do not leave on for prolonged periods of timeWipe clean with a soft dry cloth. Never polish containing abrasives or solvents as they may damage the finish and electrical components.
- If the cable is damaged it should be replaced by a competent person only

NEXT LED LIGHT**MODEL NO:W58486****WITH LED DRIVER:100-240V- 50/60 HZ 0.063A 10.11W.PF0.618**
WITHOUT LED DRIVER:12V==,0.62A,7.4W**CONTRACT NO.:****Importer:** Next PLC**Address:** Phase 6, Desford Road, Enderby,
LE19 4AT, UK**IF THE CABLE IS DAMAGED IT SHOULD BE
REPLACED BY A COMPETENT PERSON ONLY**