



LLEWELYN - BOWEN

FINE ART OF PAINT

INTERIOR PAINT WITH A MATT FINISH

A luxurious, water-based paint with a sleek matt finish, offering rich coverage and lasting durability. Ideal for walls and ceilings, this long lasting and washable paint keeps your home looking beautiful while easy to maintain.

Water Based



PREPARATION AND APPLICATION

The surface to be painted should be stable, firm, dry and free of dust, sand, loose old paint, dirt, grease and oil. This paint is self-priming.

Application

For use on bare surfaces, thin the product up to 15% using clean water.



Stir thoroughly before each use.

Suitable for application by brush, roller or spray. If necessary thin paint using water. Ensure good ventilation during application and drying.

Coverage



CLEANING AND DISPOSAL

Remove as much product as possible from application tool when finished painting, then clean in warm, soapy water and rinse thoroughly.

Drying Time



Do not release large quantities into drains or watercourses. Dispose of contents/container to comply with local regulations. Metal tin may be recycled.

Recoat Time



STORAGE AND TRANSPORTATION

To avoid the risk of spillage, always store and transport in a secure and upright position. Protect from frost and extreme temperatures. Use within 12 months of purchase.

SAFETY

If using a spray machine, do not breathe spray or mist. Avoid contact with skin and eyes. In the event of contact with eyes, rinse immediately with water and seek medical advice. If medical advice is needed, have paint tin or label at hand.

Keep out of reach of children and pets.

Contains: (reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1). May cause an allergic reaction.

For more information and detailed advice consult Product and Safety Data sheets available from your local distributor.

2.5L e

Galerie Ltd, Unit 3 Deacon Trading Estate, 211 Vale Road, Tonbridge, Kent, TN9 1SU, UK.
+44 (0) 1892 700730, sales@galeriehome.co.uk

LLB Matt Emulsion

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2020/878

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING**1.1 Product identifier**

Product Name LLB Matt Emulsion
CAS No. Not applicable.
EC No. Not applicable.
REACH Registration No. Not known.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified Use(s) PC9a Coatings and paints, thinners, paint removers
Uses Advised Against Not known.

1.3 Details of the supplier of the safety data sheet**Manufacturer**

Company Identification
Address of Manufacturer

Postal code
Telephone:
Fax
E-mail
Office hours

Supplier

Company Identification Galerie Wallcoverings
Address of Supplier Unit 3 Deacon Trading Estate
 211 Vale Road
 Tonbridge
 Kent UK

Postal code TN9 1SU
Telephone: +44(0) 1892 700730
Fax
E-mail sales@galeriehome.co.uk
Office hours 08.30 to 17.00

1.4 Emergency telephone number

Emergency Phone No. +44(0) 1892 700730
Contact sales@galeriehome.co.uk

SECTION 2: HAZARDS IDENTIFICATION**2.1 Classification of the substance or mixture**

Regulation (EC) No. 1272/2008 (CLP) Not classified as dangerous for supply/use.

2.2 Label elements

LLB Matt Emulsion

	According to Regulation (EC) No. 1272/2008 (CLP)
Product Name	LLB Matt Emulsion
Hazard Pictogram(s)	None.
Signal Word(s)	None.
Hazard Statement(s)	EUH208: Contains: (reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1) May produce an allergic reaction.
Precautionary Statement(s)	P101: If medical advice is needed, have product container or label at hand. P102: Keep out of reach of children. P103: Read label before use.

2.3 Other hazards

None known.

2.4 Additional Information

None.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**3.1 Substances**

Not applicable.

3.2 Mixtures

HAZARDOUS INGREDIENT(S)	CAS No.	EC No. / REACH Registration No.	%W/W	Hazard Statement(s)	Hazard Pictogram(s)
bronopol (INN) 2-bromo-2-nitropropane-1,3-diol	52-51-7	200-143-0 01-2119980938-15	0.01	0.1 Acute Tox. 4 H302 Acute Tox. 4 H312 Skin Irrit. 2 H315 Eye Dam. 1 H318 STOT SE 3 H335 Aquatic Acute 1 H400 Aquatic Chronic 2 H411	GHS05 GHS07 GHS09
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1)	55965-84-9	01-2120764691-48	0.0001 - 0.001	Acute Tox. 3 H301 Acute Tox. 2 H310 Skin Corr. 1C H314 Skin Sens. 1A H317 Eye Dam. 1 H318 Acute Tox. 2 H330 Aquatic Acute 1 H400 Aquatic Chronic 1 H410	GHS06 GHS05 GHS07 GHS09

HAZARDOUS INGREDIENT(S)	CAS No.	Specific Concentration Limit	M-factor	ATE										
bronopol (INN) 2-bromo-2-nitropropane-1,3-diol	52-51-7			Acute Tox. 4 (H302) : 500.000 Acute Tox. 4 (H312) : 1100.000										
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1)	55965-84-9	<table border="1"> <tr> <td>Skin Corr. 1C</td> <td>C\geq 0.60 \leq 100.00</td> </tr> <tr> <td>Skin Irrit. 2</td> <td>C\geq 0.06 $<$ 0.60</td> </tr> <tr> <td>Skin Sens. 1A</td> <td>C\geq 0.0015 \leq 100.00</td> </tr> <tr> <td>Eye Dam. 1</td> <td>C\geq 0.60 \leq 100.00</td> </tr> <tr> <td>Eye Irrit. 2</td> <td>C\geq 0.06 $<$ 0.60</td> </tr> </table>	Skin Corr. 1C	C \geq 0.60 \leq 100.00	Skin Irrit. 2	C \geq 0.06 $<$ 0.60	Skin Sens. 1A	C \geq 0.0015 \leq 100.00	Eye Dam. 1	C \geq 0.60 \leq 100.00	Eye Irrit. 2	C \geq 0.06 $<$ 0.60	Aquatic Acute 1: 100 Aquatic Chronic 1: 100	Acute Tox. 3 (H301) : 100.000 Acute Tox. 2 (H310) : 50.000 Acute Tox. 2 (H330) : 0.500
Skin Corr. 1C	C \geq 0.60 \leq 100.00													
Skin Irrit. 2	C \geq 0.06 $<$ 0.60													
Skin Sens. 1A	C \geq 0.0015 \leq 100.00													
Eye Dam. 1	C \geq 0.60 \leq 100.00													
Eye Irrit. 2	C \geq 0.06 $<$ 0.60													

Contains no non-classified vPvB substances or substances with a Union workplace exposure limit.
For full text of H/P Statements see section 16.

LLB Matt Emulsion

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

Inhalation	If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.
Skin Contact	Wash skin with water.
Eye Contact	Flush eyes with water for at least 15 minutes.
Ingestion	Wash out mouth with water.

4.2 Most important symptoms and effects, both acute and delayed

None anticipated. Treat symptomatically.

4.3 Indication of any immediate medical attention and special treatment needed

Unlikely to be required but if necessary treat symptomatically.

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable Extinguishing media	As appropriate for surrounding fire.
Unsuitable extinguishing media	None.

5.2 Special hazards arising from the substance or mixture

None anticipated. Heating may cause decomposition.

5.3 Advice for firefighters

As appropriate for surrounding fire.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Wear suitable gloves if prolonged skin contact is likely.

6.2 Environmental precautions

Do not release large quantities into the surface water or into drains.

6.3 Methods and material for containment and cleaning up

Adsorb spillages onto sand, earth or any suitable adsorbent material.

6.4 Reference to other sections

See Also Section 8, 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Not known.

7.2 Conditions for safe storage, including any incompatibilities

Storage temperature	Ambient.
Storage life	Stable under normal conditions.
Incompatible materials	None known.

LLB Matt Emulsion**7.3 Specific end use(s)**

PC9a Coatings and paints, thinners, paint removers

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**8.1 Control parameters**

8.1.1 Occupational Exposure Limits No Occupational Exposure Limit assigned.

8.2 Exposure controls

8.2.1. Appropriate engineering controls Ensure adequate ventilation.

8.2.2. Personal protection equipment



Eye Protection

Wear eye protection with side protection (EN166).



Skin protection

Not normally required.



Respiratory protection

Normally no personal respiratory protection is necessary.



Thermal hazards

None known.

8.2.3. Environmental Exposure Controls Do not release large quantities into the surface water or into drains.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**9.1 Information on basic physical and chemical properties**

Physical state	Liquid.
Colour	Not known.
Odour	Not known.
Melting point/freezing point	Not known.
Boiling point or initial boiling point and boiling range	Not known.
Flammability	Not known.
Lower and upper explosion limit	Not known.
Flash Point	Not known.
Auto-ignition temperature	Not known.
Decomposition Temperature	Not known.
pH	Not known.
Kinematic Viscosity	Not known.
Solubility	Solubility (Water) : Soluble Solubility (Other) : Not known.
Partition coefficient n-octanol/water (log value)	Not known.
Vapour pressure	Not known.

LLB Matt Emulsion

Density and/or relative density	Relative density : 1.5
Relative vapour density	Not known.
Particle characteristics	Not known.

9.2 Other information

None.

SECTION 10: STABILITY AND REACTIVITY**10.1 Reactivity**

None anticipated.

10.2 Chemical Stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known if used for its intended purpose.

10.4 Conditions to avoid

None anticipated.

10.5 Incompatible materials

Not known.

10.6 Hazardous decomposition products

No hazardous decomposition products known.

SECTION 11: TOXICOLOGICAL INFORMATION**11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**

Acute toxicity - Ingestion	Calculation method : Not classified. Calculation method : Calculated acute toxicity estimate (ATE) Calc ATE -1000000.00000
Acute toxicity - Skin Contact	Calculation method : Not classified. Calculation method : Calculated acute toxicity estimate (ATE) Calc ATE -1000000.00000
Acute toxicity - Inhalation	Calculation method : Not classified. Calculation method : Calculated acute toxicity estimate (ATE) Calc ATE -100000.00000
Skin corrosion/irritation	Calculation method : Not classified.
Serious eye damage/irritation	Calculation method : Not classified.
Skin sensitization data	Calculation method : Not classified.
Respiratory sensitization data	Calculation method : Not classified.
Germ cell mutagenicity	Calculation method : Not classified.
Carcinogenicity	Calculation method : Not classified.
Reproductive toxicity	Calculation method : Not classified.
Lactation	Calculation method : Not classified.
STOT - single exposure	Calculation method : Not classified.
STOT - repeated exposure	Calculation method : Not classified.

LLB Matt Emulsion

Aspiration hazard Calculation method : Not classified.

11.2 Information on other hazards

Not known.

SECTION 12: ECOLOGICAL INFORMATION**12.1 Toxicity**

Toxicity - Aquatic invertebrates Low toxicity to invertebrates.

Toxicity - Fish Low toxicity to fish.

Toxicity - Algae Low toxicity to algae.

Toxicity - Sediment
Compartment Not classified.

Toxicity - Terrestrial
Compartment Not classified.

12.2 Persistence and degradability

Not known.

12.3 Bioaccumulative potential

Not known.

12.4 Mobility in soil

Not known.

12.5 Results of PBT and vPvB assessment

Not known.

12.6 Endocrine disrupting properties

None known.

12.7 Other adverse effects

Not known.

SECTION 13: DISPOSAL CONSIDERATIONS**13.1 Waste treatment methods**

Dispose at suitable refuse site.

13.2 Additional Information

No special precautions are required for this product.

SECTION 14: TRANSPORT INFORMATION

Not classified as hazardous for transport.

14.1 UN number or ID number

Not applicable

14.2 UN proper shipping name

Not applicable

14.3 Transport hazard class(es)

LLB Matt Emulsion

Not applicable

14.4 Packing group

Not applicable

14.5 Environmental hazards

Not classified as a Marine Pollutant.

14.6 Special precautions for user

Not known

14.7 Maritime transport in bulk according to IMO instruments

Not known

SECTION 15: REGULATORY INFORMATION**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****European Regulations - Authorisations and/or Restrictions On Use**

Candidate List of Substances of Very High Concern for Authorisation Not listed

REACH: ANNEX XIV list of substances subject to authorisation Not listed

REACH: Annex XVII Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles bronopol (INN) 2-bromo-2-nitropropane-1,3-diol (52-51-7), reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H - isothiazol-3-one [EC no. 220-239-6] (3:1) reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-4-isothiazolin-3-one [EC no. 220-239-6] (3:1) (55965-84-9)

Community Rolling Action Plan (CoRAP) Not listed

Regulation (EU) N° 2019/1021 of the European Parliament and of the Council on persistent organic pollutants Not listed

Regulation (EC) N° 1005/2009 on substances that deplete the ozone layer Not listed

Regulation (EU) N° 649/2012 of the European Parliament and of the Council concerning the export and import of hazardous chemicals Not listed

National regulations

Other Not known.

15.2 Chemical Safety Assessment

A REACH chemical safety assessment has not been carried out.

SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements:

LLB Matt Emulsion**LEGEND**

Hazard Pictogram(s)	None. GHS05: GHS: Corrosion GHS06: GHS: Skull and crossbones GHS07: GHS: Exclamation mark GHS09: GHS: Environment
Hazard classification	Acute Tox. 3 : Acute toxicity, Category 3 Acute Tox. 4 : Acute toxicity, Category 4 Acute Tox. 2 : Acute toxicity, Category 2 Acute Tox. 4 : Acute toxicity, Category 4 Skin Corr. 1C : Skin corrosion/irritation, Category 1C Skin Irrit. 2 : Skin corrosion/irritation, Category 2 Skin Sens. 1A : Skin sensitization, Category 1A Eye Dam. 1 : Serious eye damage/irritation, Category 1 Acute Tox. 2 : Acute toxicity, Category 2 STOT SE 3 : Specific target organ toxicity — single exposure, Category 3 Aquatic Acute 1 : Hazardous to the aquatic environment, Acute, Category 1 Aquatic Chronic 1 : Hazardous to the aquatic environment, Chronic, Category 1 Aquatic Chronic 2 : Hazardous to the aquatic environment, Chronic, Category 2
Hazard Statement(s)	H301: Toxic if swallowed. H302: Harmful if swallowed. H310: Fatal in contact with skin. H312: Harmful in contact with skin. H314: Causes severe skin burns and eye damage. H315: Causes skin irritation. H317: May cause an allergic skin reaction. H318: Causes serious eye damage. H330: Fatal if inhaled. H335: May cause respiratory irritation. H400: Very toxic to aquatic life. H410: Very toxic to aquatic life with long lasting effects. H411: Toxic to aquatic life with long lasting effects.
Precautionary Statement(s)	None.
Acronyms	ATE : Acute Toxicity Estimate CAS : Chemical Abstracts Service CLP : Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures DNEL : Derived No Effect Level EC : European Community EINECS : European Inventory of Existing Commercial Chemical Substances LTEL : Long term exposure limit PBT : Persistent, Bioaccumulative and Toxic PNEC : Predicted No Effect Concentration REACH : Registration, Evaluation, Authorisation and Restriction of Chemicals STEL : Short term exposure limit STOT : Specific Target Organ Toxicity vPvB : very Persistent and very Bioaccumulative

LLB Matt Emulsion

Key literature references and Regulation (EC) No. 1272/2008 (CLP)
sources for data used to compile
the SDS